

YASH TRADING CO. MUMBAI -64

This Price-List cancels all our previous Price Lists.

PRICE - LIST 2011

W.E.F. 01-01-2011



Jainson						
SINGLE COMPRESSION SIEMENS TYPE BRASS CABLE GLAND						
ITEM NO.	Core Size			Jainson CAT. NO.	PRICE EACH	PACKING PER BOX
	sq. mm	mm	Inch			
1	1.5 x 2	10	3/8"	JC -3/8"	33.90	200
2				JC -1/2" L	33.35	150
3	1.5 x 3	12	1/2"	JC -1/2" M	38.65	150
4				JC -1/2" H	45.75	100
5				JC -5/8" L	33.35	150
6	2.5 x 3	16	5/8"	JC -5/8" M	43.00	150
7	1.5 x 4			JC -5/8" H	52.80	100
8				JC -3/4" L	40.70	100
9	1.5 x 5,6,7	19	3/4"	JC -3/4" M	48.95	100
10	2.5 x 4			JC -3/4" H	67.25	100
11				JC -7/8" L	51.05	100
12	4 x 6	22	7/8"	JC -7/8" M	57.35	100
13	6 x 4			JC -7/8" H	72.45	100
14				JC -1" L	63.25	50
15	2.5 x 7,10,12			JC -1" M	71.75	50
16	10 x 4	25	1"	JC -1" H	96.50	50
17				JC -1" SP	102.80	40
18				JC -1.1/8"	129.95	50
19	16 x 3,4	28	1.1/8"	JC -1.1/8" L	102.80	50
20	25 x 3,5,4			JC -1.1/4"	155.10	30
21	35 x 3,5,4	32	1.1/4"	JC -1. 1/4" L	129.70	30
22				JC -1. 3/8"	196.50	35
23	50 x 3,5,4	35	1.3/8"	JC -1.3/8" L	161.90	40
24	70 x 3,3,5			JC -1.1/2"	219.65	25
25	95 x 3	38	1.1/2"	JC -1.1/2" L	188.15	25
26	95 x 3.5	45	1.3/4"	JC -1 3/4"	276.45	16
27	120 x 3.5			JC -1 3/4" L	218.25	20
28	150 x 3.5	50	2"	JC -2"	354.65	12
29	185 x 3			JC -2 L"	332.80	14
30				JC -2 1/4"	409.30	12
31	185 x 3.5	57	2.1/4"	JC -2 1/4" L	351.10	12
32				JC -2 1/2"	491.05	7
33	240 x 3,3,5	63	2.1/2"	JC -2 1/2" L	384.20	8
34				JC -2 3/4 "	563.85	6
35	300 x 3,3,5	70	2.3/4"	JC -2 3/4" L	499.65	7
36				JC -3"	684.35	6
37	400 x 3	75	3"	JC -3 "L	590.05	6
38				JC -3 1/4 "	758.20	5
39	400 x 3.5	82	3.1/4"	JC -3.1/4" L	654.65	5
40				JC -3. 1/2 "	1182.10	3
41	500 x 3.5	88	3.1/2"	JC -3.1/2" L	1027.50	3
42	625 x 3.5	100	4"	JC -4."	1449.55	1
43	625 x 3.5	115	4.1/2"	JC -4.1/2"	2202.70	1



Jainson						
FLANGE TYPE BRASS CABLE GLAND						
ITEM NO.	Core Size			Jainson CAT. NO.	PRICE EACH	PACKING PER BOX
	sq. mm	mm				
44	1.5 x 2,3,4	2.5 x 2,3	16	JF 5	92.35	75
45	2.5 x 4	4-6x2,3,4.	19	JF 4	127.10	50
46	10 x 2,3.	6 x 4.	22	JF 3	147.20	50
47	16 x 2,3,4	10 x 4.	25	JF 2	200.10	40
48	25 x 2,3,3,5		28	JF 1SP	280.60	35
49	35 x 2,3,3,5		32	JF 1	263.80	35
50	50 x 3,3,5		35	JF 11	301.30	20
51	70 x 3.5	95 x 3	38	JF 0	306.95	20
52	70 x 3.5		38	JF 00	316.40	20
53	95 x 3.5	120 x 3	45	JF 38	386.20	16
54	150 x 3,3,5	120 x 3.5	45	JF 001	477.70	12
55	185 x 3, 3.5		50	JF 002	512.90	12
56	225 x 3, 3.5		57	JF 003	628.90	8
57	300 x 3,3,5	240 x 3.5	63	JF 0033	736.00	6
58	400 x 3.5		75	JF 004	1018.40	6
59	500 x 3.5		100	JF 005	1528.90	2



Jainson						
DOUBLE COMPRESSION FLAME PROOF TYPE BRASS CABLE GLAND (LIGHT DUTY)						
ITEM NO.	Core Size			Jainson CAT. NO.	PRICE EACH	PACKING PER BOX
	sq. mm	mm				
60	1.5 x 2	10		JPFL- 3/8"	156.25	50
61	1.5 x 3	12		JPFL-1/2"	156.25	50
62	2.5 x 2 ,	1.5x4	16	JPFL- 5/8"	165.00	40
63	1.5 x 5,6,7	2.5x4	19	JPFL- 3/4"	184.00	40
64	4 x 6	1.5 x 10	22	JPFL- 7/8"	234.50	30
65	2.5 x 10,12	10x4	25	JPFL- 1"	295.10	20
66	25 x 3.5,	1.5 x 24	28	JPFL- 1.1/8"	367.20	12
67	50-35 x 3.5		32	JPFL- 1.1/4"	471.50	12
68	50 x 3.5,4		35	JPFL- 1.3/8"	555.45	12
69	70-95x3		38	JPFL- 1.1/2"	688.60	9
70	95-120x3.5		45	JPFL- 1.3/4"	805.45	9
71	150 x 3.5	185x3	50	JPFL- 2"	1026.70	7
72	185 x 3.5		57	JPFL- 2.1/4"	1145.65	6
73	240 x 3.5		63	JPFL- 2.1/2"	1587.70	2
74	300 x 3.5		70	JPFL- 2.3/4"	1799.75	2
75	400 x 3,3,5		75	JPFL- 3"	2332.65	2
76	500 x 3		82	JPFL- 3.1/4"	3255.10	2
77	500 x 3.5		88	JPFL- 3.1/2"	4211.10	2
78	625 x 3.5		100	JPFL- 4"	5887.85	1



Jainson

SINGLE COMPRESSION SIEMENS TYPE BRASS CABLE GLAND SIBG (HEAVY DUTY)



ITEM NO.	Suitable for Cable Overall Dia			Jainson CAT. NO.	PRICE EACH	PACKING PER BOX
	Above	Upto	Nipple			
79	9.0	12.0	1/2"	1612	60.35	150
80	9.0	16.0	5/8"	1616	84.50	100
81	10.0	16.0	3/4"	1619	92.00	100
82	14.0	20.0	3/4"	2119	109.60	60
83	14.0	20.0	1"	2125	118.30	40
84	20.0	26.0	1"	2925	172.85	30
85	24.0	29.0	1-1/4"	2932	199.50	30
86	24.0	29.0	1-1/2"	2938	199.50	20
87	31.0	37.0	1-1/2"	3638	310.05	12
88	42.0	45.0	2"	4251	481.95	12
89	44.0	50.0	2"	5451	547.95	8
90	44.0	50.0	2-1/2"	5463	563.50	5
91	54.0	60.0	2-1/2"	6063	743.80	8
92	60.0	66.0	3"	6675	846.30	4
93	70.0	77.0	3-1/4"	7882	1121.70	4
94	79.0	84.0	3-1/2"	8490	1618.50	2

Jainson

DOUBLE COMPRESSION WEATHER PROOF BRASS CABLE GLAND (HEAVY DUTY)



ITEM NO.	Suitable for Cable Overall Dia			Jainson CAT. NO.	PRICE EACH	PACKING PER BOX
	Above	Upto	Nipple			
107	8.0	14.0	3/4"	JPW - 001	158.45	50
108	10.5	15.0	3/4"	JPW - 01S	216.30	30
109	13.5	18.5	3/4"	JPW - 01	233.20	30
110	13.5	18.5	1"	JPW - 01A	258.20	25
111	14.0	20.0	1"	JPW - 02	309.70	20
112	14.0	20.0	3/4"	JPW - 02A	316.35	20
113	17.0	23.0	1"	JPW - 03	332.45	20
114	20.0	26.0	1"	JPW - 04	424.80	12
115	20.0	26.0	1.1/4"	JPW - 04A	488.65	12
116	24.0	30.0	1.1/4"	JPW - 05	557.15	12
117	24.0	30.0	1.1/2"	JPW - 05A	624.35	12
118	27.0	33.0	1.1/2"	JPW - 06	734.05	12
119	27.0	33.0	1.1/4"	JPW - 06A	770.05	12
120	30.0	37.0	1.1/2"	JPW - 07	875.15	10
121	35.0	41.0	2"	JPW - 08	1026.15	7
122	40.0	46.0	2"	JPW - 09	1142.40	7
123	46.0	52.0	2"	JPW - 010	1367.70	6
124	46.0	52.0	2.1/2"	JPW - 010A	1641.40	5
125	54.0	60.0	2.1/2"	JPW - 011	1967.20	2
126	60.0	67.0	3"	JPW - 012	2375.30	2
127	72.0	78.0	3.1/4"	JPW - 013	3047.05	2
128	66.0	72.0	3"	JPW - 013A	3190.10	2
129	78.0	84.0	3.1/2"	JPW - 014	3391.80	2
130	88.0	94.0	4"	JPW - 015	4951.30	1
131	98.0	105.0	4.1/2"	JPW - 016	5980.10	1
132	88.0	105.0	4"	JPW - 017	6188.85	1

Jainson

SINGLE COMPRESSION SIEMENS TYPE BRASS CABLE GLAND (LONG NIPPLE)



ITEM NO.	Core Size		Jainson CAT. NO.	PRICE EACH	PACKING PER BOX
	sq. mm	mm			
95	1.5 x 3	12	JC -1/2 L.N"	50.95	150
96	2.5 x3 - 1.5x4	16	JC -5/8"L.N.	52.65	150
97	1.5 x5,6,7 2.5x4	19	JC -3/4" L.N.	63.60	100
98	4.0 x 6 6x 4	22	JC -7/8"L.N.	76.45	100
99	2.5 x 7,10,12	25	JC -1"L.N.	101.45	50
100	10 x4	25	JC -1"SP L.N.	114.40	75
101	16 x 3,4.	28	JC -1.1/8"L.N.	145.85	50
102	25-35 x 3.5,4	32	JC -1.1/4"L.N.	178.95	30
103	50 x 3.5, 4	35	JC -1.3/8"L.N.	228.85	30
104	70 x 3,3,5	38	JC -1.1/2"L.N.	283.00	25
105	95 x3.5, 120x3.5	45	JC -1.3/4"L.N.	299.35	16
106	150x 3.5	50	JC -2"L.N.	374.55	12

Jainson

DOUBLE COMPRESSION FLAME PROOF BRASS CABLE GLAND



ITEM NO.	Suitable for Cable Overall Dia			Jainson CAT. NO.	PRICE EACH	PACKING PER BOX
	Above	Upto	Nipple			
133	10.5	15.0	3/4"	JPF -01S	245.65	30
134	13.5	18.5	3/4"	JPF -01	273.95	25
135	13.5	18.5	1"	JPF -01A	312.00	25
136	14.0	20.0	1"	JPF -02	350.65	20
137	14.0	20.0	3/4"	JPF -02A	384.20	20
138	17.0	23.0	1"	JPF -03	388.25	20
139	20.0	26.0	1"	JPF -04	486.80	12
140	20.0	26.0	1.1/4"	JPF -04A	556.60	12
141	24.0	30.0	1.1/4"	JPF -05	601.90	12
142	24.0	30.0	1.1/2"	JPF -05A	683.55	12
143	27.0	33.0	1.1/2"	JPF -06	840.50	12
144	27.0	33.0	1.1/4"	JPF -06A	924.60	12
145	30.0	37.0	1.1/2"	JPF -07	971.30	10
146	35.0	41.0	2"	JPF -08	1201.65	7
147	40.0	46.0	2"	JPF -09	1367.10	7
148	46.0	52.0	2"	JPF -010	1572.75	6
149	46.0	52.0	2.1/2"	JPF -010A	1808.70	5
150	54.0	60.0	2.1/2"	JPF -011	2165.35	2
151	60.0	67.0	3"	JPF -012	2709.75	2
152	72.0	78.0	3.1/4"	JPF -013	3414.90	2
153	66.0	72.0	3"	JPF -013A	3927.10	2
154	78.0	84.0	3.1/2"	JPF -014	4032.25	2
155	88.0	94.0	4"	JPF -015	5920.20	1
156	98.0	105.0	4.1/2"	JPF -016	6727.05	1

Jainson

CABLE TERMINAL ENDS

An ISO 9001-2008 Company



Web.: www.jainsongroup.co.in
E-mail.: jainsongroup@hotmail.com

(CMRI APPROVED)

CABLE GLANDS CONFORMS TO BS 6121 / IS12943, & ARE SUPPLIED WITH BSC (ET) THREADS & ALSO AVAILABLE WITH NPT, BSP, & METRIC THREADS.

Jainson CABLE GLANDS APPROVED BY ALL MAJOR ELECTRICAL PROJECT CONSULTANTS

Some of our prestigious clients for Cable Glands are POWER GRID, N.T.P.C., BHEL, ABB, L&T, RELIANCE, CROMPTON, BSES, SIEMENS, ALSTOM, KIRLOSKAR, IPCL, AMCO, AMAR RAJA, HAVELLS, SCHNEIDER, HOCL, NEYVELI LIGNITE CORPN., NARMADA CEMENT, AMBUJA CEMENT, BALIGA LIGHTING, HPCL, BPCL, ITI, MTNL, VSNL, PRAJ, THYSSEN KRUPP, GRASIM, PUNJ LLYOD, ONGC, HERO HONDA, MRPL, MARUTI UDYOG, TATA LIEBERT, MANALI PETROLEUM, BCH, YOKOGAWA BLUE STAR, BSNL Etc.

CABLE GLANDS SELECTION CHART

Jainson CABLE GLAND SELECTION CHART



CABLE CONSTRUCTION DETAILS			DOUBLE COMPRESSION TYPE			FLANGE TYPE	SINGLE COMPRESSION TYPE		
Core size sq.mm	Armoured Overall Dia mm(Approx)	Unarmoured Overall Dia mm(Approx)	Weatherproof (JPW)	Flameproof (JPF)	Flameproof Type (JPFL)	Type (JF)	Siemens Type (JC)	Heavy Duty (SIBG)	Rubber Ref. No.

Ayy (ARMoured & UNARMoured SINGLE CORE POWER CABLES) 650/1100V

Core size sq.mm	Armoured Overall Dia mm(Approx)	Unarmoured Overall Dia mm(Approx)	DOUBLE COMPRESSION TYPE		Flameproof Type (JPFL)	Flange Type (JF)	SINGLE COMPRESSION TYPE		Siemens Type (JC)	Heavy Duty (SIBG)	Rubber Ref. No.			
			Weatherproof (JPW)	Flameproof (JPF)			Siemens Type (JC)	Heavy Duty (SIBG)			Armoured	Unarmoured		
1 x 4	12.3	9.5	JPW-001	JPW-001	JPF-01S	JPF-01S	JPFL-3/8"	JF-5	JC-1/2"	JC-1/2"	1616	1616	1613	1609
1 x 6	12.8	10.0	JPW-001	JPW-001	JPF-01S	JPF-01S	JPFL-3/8"	JF-5	JC-5/8"	JC-1/2"	1616	1616	1613	1611
1 x 10	13.5	11.0	JPW-001	JPW-001	JPF-01S	JPF-01S	JPFL-1/2"	JF-5	JC-3/4"	JC-5/8"	1616,1619	1619	1613	1611
1 x 16	15.5	12.5	JPW-01S	JPW-001	JPF-01S	JPF-01S	JPFL-1/2"	JF-5	JC-3/4"	JC-5/8"	1616,1619	1619	1615	1613
1 x 25	16.5	14.0	JPW-01S	JPW-001	JPF-01S	JPF-01S	JPFL-5/8"	JF-5	JC-7/8"	JC-3/4"	2119	1619	2116	1613
1 x 35	17.0	15.0	JPW-01	JPW-01S	JPF-01	JPF-01S	JPFL-5/8"	JF-5	JC-7/8"	JC-3/4"	2119	1619	2118	1615
1 x 50	18.5	16.5	JPW-01	JPW-01S	JPF-01	JPF-01S	JPFL-3/4"	JF-4	JC-1"	JC-3/4"	2125	1619	2118	1615
1 x 70	21.0	19.0	JPW-02	JPW-01	JPF-02	JPF-01	JPFL-7/8"	JF-3	JC-1"	JC-1"	2125	2125	2120	2118
1 x 95	23.0	21.0	JPW-03	JPW-02	JPF-03	JPF-02	JPFL-1"	JF-2	JC-1.1/8"	JC-1.1/8"	2925,2932	2125	2923	2120
1 x 120	25.0	23.0	JPW-04	JPW-03	JPF-04	JPF-03	JPFL-1.1/8"	JF-2	JC-1.1/8"	JC-1.1/8"	2925,2932	2925	2925	2923
1 x 150	26.0	24.5	JPW-04	JPW-04	JPF-04	JPF-04	JPFL-1.1/8"	JF-1	JC-1.1/8"	JC-1.1/4"	2925,2932	2925,2932	2925	2925
1 x 185	29.0	27.0	JPW-05	JPW-04	JPF-05	JPF-04	JPFL-1.1/4"	JF-1	JC-1.1/4"	JC-1.1/4"	2932	2925,2932	2929	2927
1 x 225	31.5	29.5	JPW-06	JPW-05	JPF-06	JPF-05	JPFL-1.1/4"	JF-11	JC-1.3/8"	JC-1.3/8"	3638	2932,2938	3631	2929
1 x 240	33.5	32.0	JPW-06	JPW-06	JPF-06	JPF-06	JPFL-1.3/8"	JF-11	JC-1.3/8"	JC-1.1/2"	3638	3638	3633	3633
1 x 300	36.0	39.0	JPW-07	JPW-07	JPF-07	JPF-07	JPFL-1.1/2"	JF-00	JC-1.1/2"	JC-1.3/4"	3638	3638	3637	3637
1 x 400	41.0	39.0	JPW-08	JPW-08	JPF-08	JPF-08	JPFL-1.3/4"	JF-38	JC-1.3/4"	JC-2"	4251	4251	4240	4240
1 x 500	43.0	42.0	JPW-09	JPW-09	JPF-09	JPF-09	JPFL-1.3/4"	JF-001	JC-2"	JC-2"	4251	4251	4242	4242
1 x 625	49.0	47.0	JPW-010	JPW-09	JPF-010	JPF-09	JPFL-2"	JF-002	JC-2.1/4"	JC-2"	5451	5451,5463	5448	5448
1 x 800	54.0	52.0	JPW-011	JPW-010	JPF-011	JPF-010	JPFL-2.1/4"	JF-003	JC-2.1/4"	JC-2.1/4"	6063	5463	6055	5450
1 x 1000	59.0	57.0	JPW-011	JPW-011	JPF-011	JPF-011	JPFL-2.1/2"	JF-003	JC-2.1/2"	JC-2.1/2"	6063	6063	6060	6060

AYWY (ARMoured TWIN CORE POWER CABLES) 650/1100V

2 x 1.5	15.0	8.0	JPW-001	JPF-01S	JPFL-1/2"	JF-5	JC-1/2"	1616	1615
2 x 2.5	16.0	9.0	JPW-01S	JPF-01S	JPFL-1/2"	JF-5	JC-5/8"	1616,1619	1615
2 x 4	17.5	10.5	JPW-01	JPF-01	JPFL-5/8"	JF-4	JC-3/4"	1616,1619	1615
2 x 6	18.5	11.5	JPW-01	JPF-01	JPFL-3/4"	JF-4	JC-7/8"	2119,2125	2118
2 x 10	20.5	14.0	JPW-02	JPF-02	JPFL-7/8"	JF-3	JC-1"	2119,2125	2120
2 x 16	22.5	16.5	JPW-03	JPF-03	JPFL-1"	JF-2	JC-1"	2125	2120
2 x 25	25.0	19.0	JPW-04	JPF-04	JPFL-1"	JF-1	JC-1.1/8"	2925,2932	2925
2 x 35	27.5	22.0	JPW-05	JPF-05	JPFL-1.1/8"	JF-1	JC-1.1/4"	2932,2938	2927
2 x 50	29.0	23.5	JPW-05	JPF-05	JPFL-1.1/4"	JF-11	JC-1.1/4"	2932,2938	2927
2 x 70	31.0	25.0	JPW-06	JPF-06	JPFL-1.1/4"	JF-11	JC-1.1/4"	2938	2929
2 x 95	33.0	27.0	JPW-06	JPF-06	JPFL-1.3/8"	JF-11	JC-1.3/8"	2938	2929
2 x 120	34.0	28.0	JPW-07	JPF-07	JPFL-1.3/8"	JF-11	JC-1.3/8"	3638	3633
2 x 150	38.0	32.0	JPW-08	JPF-08	JPFL-1.1/2"	JF-00	JC-1.1/2"	3638	3637
2 x 185	41.0	35.0	JPW-08	JPF-08	JPFL-1.3/4"	JF-001	JC-1.3/4"	4251	4242
2 x 240	46.0	40.0	JPW-09	JPF-09	JPFL-1.3/4"	JF-002	JC-2"	5451	5446
2 x 300	51.0	43.0	JPW-010	JPF-010	JPFL-2"	JF-003	JC-2.1/4"	5463	5450
2 x 400	57.0	50.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/2"	6063	6060

CABLE GLANDS SELECTION CHART

CABLE CONSTRUCTION DETAILS			DOUBLE COMPRESSION TYPE			FLANGE TYPE	SINGLE COMPRESSION TYPE		
Core size sq.mm	Armoured Overall Dia mm(Approx)	Unarmoured Overall Dia mm(Approx)	Weatherproof (JPW)	Flameproof (JPF)	Flameproof Type (JPFL)	Type (JF)	Siemens Type (JC)	Heavy Duty (SIBG)	Rubber Ref. No.

AYFY (ARMOURED THREE CORE POWER CABLES) 650/1100V

3 X 1.5	15.5	8.5	JPW-01S	JPF-01S	JPFL-1/2"	JF-5	JC-5/8"	1616, 1619	1615
3 X 2.5	17.0	10.5	JPW-01S	JPF-01S	JPFL-5/8"	JF-4	JC-3/4"	1616, 1619	1615
3 X 4	18.0	11.0	JPW-01	JPF-01	JPFL-3/4"	JF-4	JC-3/4"	2119, 2125	2116
3 X 6	19.5	12.5	JPW-02	JPF-02	JPFL-7/8"	JF-3	JC-7/8"	2119, 2125	2118
3 X 10	20.5	14.5	JPW-03	JPF-03	JPFL-1"	JF-3	JC-1"	2119, 2125	2120
3 X 16	23.5	18.0	JPW-04	JPF-04	JPFL-1-1/8"	JF-2	JC-1-1/8"	2925, 2932	2923
3 X 25	23.5	18.0	JPW-04	JPF-04	JPFL-1-1/8"	JF-2	JC-1-1/8"	2932, 2938	2923
3 X 35	25.5	20.0	JPW-04	JPF-04	JPFL-1-1/4"	JF-1	JC-1-1/8"	2932, 2938	2925
3 X 50	29.0	23.0	JPW-05	JPF-05	JPFL-1-3/8"	JF-1	JC-1-1/4"	2932, 2938	2929
3 X 70	33.0	27.0	JPW-06	JPF-06	JPFL-1-3/8"	JF-0	JC-1-3/8"	3638	3633
3 X 95	37.0	31.0	JPW-07	JPF-07	JPFL-1-1/2"	JF-00	JC-1-1/2"	3638	3637
3 X 120	40.0	34.0	JPW-08	JPF-08	JPFL-1-3/4"	JF-38	JC-1-3/4"	4251	4240
3 X 150	44.0	38.0	JPW-09	JPF-09	JPFL-1-3/4"	JF-001	JC-1-3/4"	4251	4242
3 X 185	49.0	42.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5451	5448
3 X 225	54.0	47.0	JPW-011	JPF-011	JPFL-2-1/4"	JF-003	JC-2-1/4"	6063	6053
3 X 240	56.0	49.0	JPW-011	JPF-011	JPFL-2-1/4"	JF-003	JC-2-1/2"	6063	6055
3 X 300	62.0	54.0	JPW-012	JPF-012	JPFL-2-1/2"	JF-0033	JC-2-3/4"	6063	6060
3 X 400	68.0	60.0	JPW-012	JPF-012	JPFL-2-3/4"	JF-004	JC-3"	7882	7868
3 X 500	76.0	70.0	JPW-013	JPF-013	JPFL-3"	JF-004	JC-3-1/4"	7882	7874

AYFY (ARMOURED MULTI CORE POWER CABLES) 650/1100V

3.5 X 25/16	26.0	21.0	JPW-04	JPF-04	JPFL-1-1/8"	JF-1	JC-1-1/8"	2925, 2932	2925
3.5 X 35/16	28.5	23.0	JPW-05	JPF-05	JPFL-1-1/4"	JF-1	JC-1-1/4"	2932, 2938	2927
3.5 X 50/25	32.0	26.0	JPW-06	JPF-06	JPFL-1-1/4"	JF-11	JC-1-3/8"	3638	3631
3.5 X 70/35	35.0	29.0	JPW-07	JPF-07	JPFL-1-3/8"	JF-0	JC-1-1/2"	3638	3635
3.5 X 95/50	40.0	34.0	JPW-08	JPF-08	JPFL-1-3/4"	JF-38	JC-1-3/4"	4251	4240
3.5 X 120/70	43.0	37.0	JPW-09	JPF-09	JPFL-1-3/4"	JF-001	JC-1-3/4"	4251	4242
3.5 X 150/70	48.0	41.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5451	5446
3.5 X 185/95	52.0	45.0	JPW-010	JPF-010	JPFL-2-1/4"	JF-002	JC-2-1/4"	5463	5450
3.5 X 225/120	58.0	50.0	JPW-011	JPF-011	JPFL-2-1/2"	JF-003	JC-2-1/2"	6063	6058
3.5 X 240/120	61.0	53.0	JPW-012	JPF-012	JPFL-2-1/2"	JF-0033	JC-2-1/2"	6063	6060
3.5 X 300/150	66.0	58.0	JPW-012	JPF-012	JPFL-2-3/4"	JF-0033	JC-2-3/4"	6675	6664
3.5 X 400/185	74.0	65.0	JPW-013	JPF-013	JPFL-3"	JF-004	JC-3-1/4"	7882	7874
3.5 X 500/240	82.0	72.0	JPW-014	JPF-014	JPFL-3-1/2"	JF-005	JC-3-1/2"	8490	8482

AYWY & AYFY (ARMOURED FOUR CORE POWER CABLES) 650/1100V

4 X 1.5	16.5	10.0	JPW-01S	JPF-01S	JPFL-5/8"	JF-5	JC-3/4"	1616, 1619	1615
4 X 2.5	17.5	11.0	JPW-01	JPF-01	JPFL-3/4"	JF-4	JC-3/4"	1616, 1619	1615
4 X 4	19.5	13.0	JPW-02	JPF-02	JPFL-7/8"	JF-3	JC-7/8"	2119, 2125	2118
4 X 6	20.0	14.0	JPW-02	JPF-02	JPFL-7/8"	JF-3	JC-7/8"	2125	2120
4 X 10	21.5	16.0	JPW-03	JPF-03	JPFL-1"	JF-2	JC-1"	2125	2120
4 X 16	25.5	20.0	JPW-04	JPF-04	JPFL-1"	JF-1	JC-1-1/8"	2925, 2932	2925
4 X 25	26.0	21.0	JPW-04	JPF-04	JPFL-1-1/8"	JF-1	JC-1-1/4"	2932, 2938	2925
4 X 35	28.5	23.0	JPW-05	JPF-05	JPFL-1-1/8"	JF-1	JC-1-3/8"	2938	2927
4 X 50	33.0	26.0	JPW-06	JPF-06	JPFL-1-3/8"	JF-11	JC-1-3/8"	2938	2929

CABLE GLANDS SELECTION CHART

CABLE CONSTRUCTION DETAILS			DOUBLE COMPRESSION TYPE			FLANGE TYPE	SINGLE COMPRESSION TYPE		
Core size sq.mm	Armoured Overall Dia mm(Approx)	Unarmoured Overall Dia mm(Approx)	Weatherproof (JPW)	Flameproof (JPF)	Flameproof Type (JPFL)	Type (JF)	Siemens Type (JC)	Heavy Duty (SIBG)	Rubber Ref. No.

AYWY & AYFY (ARMOURED FOUR CORE POWER CABLES) 650/1100V

4 X 70	37.0	30.0	JPW-07	JPF-07	JPFL-1-1/2"	JF-00	JC-1-1/2"	3638	3637
4 X 95	42.0	34.0	JPW-08	JPF-08	JPFL-1-3/4"	JF-38	JC-1-3/4"	4251	4242
4 X 120	45.0	36.0	JPW-09	JPF-09	JPFL-1-3/4"	JF-001	JC-1-3/4"	5451	5446
4 X 150	50.0	43.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5463	5450
4 X 185	55.0	48.0	JPW-011	JPF-011	JPFL-2-1/4"	JF-003	JC-2-1/4"	5463	5450
4 X 240	62.0	54.0	JPW-011	JPF-011	JPFL-2-1/2"	JF-0033	JC-2-1/2"	6063	6060
4 X 300	68.0	60.0	JPW-012	JPF-012	JPFL-2-3/4"	JF-004	JC-2-3/4"	6675	6664
4 X 400	76.0	70.0	JPW-013	JPF-013	JPFL-3"	JF-004	JC-3-1/4"	7882	7874

YWY & YFY (ARMOURED MULTI CORE CONTROL CABLES) 650/1100V

2 x 1.5	15.0	8.0	JPW-001	JPF -01S	JPFL-3/8"	JF-5	JC-1/2"	1616	1613
3 x 1.5	15.5	8.5	JPW-01S	JPF -01S	JPFL-1/2"	JF-5	JC-1/2"	1616, 1619	1615
4 x 1.5	16.5	9.5	JPW-01S	JPF -01S	JPFL-5/8"	JF-5	JC-5/8"	1616, 1619	1615
5 x 1.5	17.0	10.0	JPW-01S	JPF -01S	JPFL-5/8"	JF-4	JC-3/4"	1616, 1619	1615
6 x 1.5	18.0	11.0	JPW-01	JPF -01	JPFL-3/4"	JF-4	JC-3/4"	2119, 2125	2118
7 x 1.5	18.0	11.0	JPW-01	JPF -01	JPFL-3/4"	JF-4	JC-3/4"	2119, 2125	2118
10 x 1.5	20.5	13.5	JPW-03	JPF -03	JPFL-7/8"	JF-3	JC-1"	2119, 2125	2118
12 x 1.5	20.5	14.0	JPW-03	JPF -03	JPFL-7/8"	JF-3	JC-1"	2119, 2125	2118
14 x 1.5	21.0	15.0	JPW-03	JPF -03	JPFL-7/8"	JF-2	JC-1"	2125	2120
16 X 1.5	21.5	15.0	JPW-03	JPF -03	JPFL-1"	JF-2	JC-1"	2125	2120
19 x 1.5	22.5	16.0	JPW-03	JPF -03	JPFL-1"	JF-2	JC-1"	2125	2120
24 x 1.5	25.5	19.0	JPW-04	JPF -04	JPFL-1.1/8"	JF-1	JC-1-1/8"	2932, 2938	2925
27 x 1.5	26.0	19.0	JPW-04	JPF -04	JPFL-1.1/8"	JF-1	JC-1-1/4"	2932, 2938	2925
30 x 1.5	27.0	21.5	JPW-05	JPF -05	JPFL-1.1/8"	JF-1	JC-1-1/4"	2932, 2938	2925
37 x 1.5	29.0	23.0	JPW-05	JPF -05	JPFL-1.1/4"	JF-1	JC-1-1/4"	2932, 2938	2927
44 x 1.5	33.0	26.0	JPW-06	JPF -06	JPFL-1.3/8"	JF-11	JC-1-3/8"	3638	3631
52 x 1.5	34.0	27.0	JPW-07	JPF -07	JPFL-1.3/8"	JF-0	JC-1-1/2"	3638	3633
61 x 1.5	36.0	29.0	JPW-07	JPF -07	JPFL-1.1/2"	JF-00	JC-1-1/2"	3638	3635

YWY & YFY (ARMOURED MULTI CORE CONTROL CABLES) 650/1100V

2 x 2.5	16.0	10.0	JPW-01S	JPF -01S	JPFL-1/2"	JF-5	JC-5/8"	1616, 1619	1615
3 x 2.5	17.0	11.0	JPW-01S	JPF -01S	JPFL-5/8"	JF-5	JC-5/8"	1616, 1619	1615
4 x 2.5	17.5	11.5	JPW-01	JPF -01	JPFL-3/4"	JF-4	JC-3/4"	1616, 1619	1615
5 x 2.5	19.0	12.5	JPW-02	JPF -02	JPFL-7/8"	JF-4	JC-7/8"	2119, 2125	2118
6 x 2.5	20.5	13.5	JPW-03	JPF -03	JPFL-7/8"	JF-3	JC-1"	2119, 2125	2118
7 x 2.5	20.5	13.5	JPW-03	JPF -03	JPFL-7/8"	JF-3	JC-1"	2119, 2125	2118
10 x 2.5	22.0	16.5	JPW-03	JPF -03	JPFL-1"	JF-2	JC-1"	2125	2120
12 x 2.5	22.5	17.0	JPW-03	JPF -03	JPFL-1"	JF-2	JC-1"	2125	2120
14 x 2.5	23.5	17.0	JPW-04	JPF -04	JPFL-1"	JF-2	JC-1-1/8"	2925	2923
16 X 2.5	24.5	18.0	JPW-04	JPF -04	JPFL-1"	JF-2	JC-1-1/8"	2925, 2932	2923
19 x 2.5	25.5	19.0	JPW-04	JPF -04	JPFL-1-1/8"	JF-1	JC-1-1/8"	2932, 2938	2925
24 x 2.5	29.5	22.0	JPW-05	JPF -05	JPFL-1-1/4"	JF-1	JC-1-1/4"	2932, 2938	2927
27 x 2.5	30.0	23.0	JPW-05	JPF -05	JPFL-1-1/4"	JF-1	JC-1-1/4"	2932, 2938	2929
30 x 2.5	32.0	25.0	JPW-06	JPF -06	JPFL-1-1/4"	JF-11	JC-1-3/8"	3638	3631
37 x 2.5	34.0	28.0	JPW-07	JPF -07	JPFL-1-3/8"	JF-0	JC-1-1/2"	3638	3633
44 x 2.5	38.0	31.0	JPW-08	JPF -08	JPFL-1-1/2"	JF-00	JC-1-1/2"	3638	3637
52 x 2.5	39.0	32.0	JPW-08	JPF -08	JPFL-1-1/2"	JF-38	JC-1-3/4"	4251	4238
61 x 2.5	42.0	35.0	JPW-09	JPF -09	JPFL-1-3/4"	JF-38	JC-1-3/4"	4251	4240

CABLE GLANDS SELECTION CHART

CABLE CONSTRUCTION DETAILS			DOUBLE COMPRESSION TYPE			FLANGE TYPE	SINGLE COMPRESSION TYPE		
Core size sq.mm	Armoured Overall Dia mm(Approx)	Unarmoured Overall Dia mm(Approx)	Weatherproof (JPW)	Flameproof (JPF)	Flameproof Type (JPFL)	Type (JF)	Siemens Type (JC)	Heavy Duty (SIBG)	Rubber Ref. No.

AYFY (ARMURED THREE CORE POWER CABLES) 1900 /3300V

3 X 25	29.0	21.0	JPW-05	JPF-05	JPFL-1.1/4"	JF-1	JC-1.1/4"	2932, 2938	2927
3 X 35	31.0	24.0	JPW-06	JPF-06	JPFL-1.1/4"	JF-11	JC-1.3/8"	2932, 2938	2929
3 X 50	34.0	26.0	JPW-07	JPF-07	JPFL-1.3/8"	JF-11	JC-1.1/2"	3638	3633
3 X 70	37.0	29.0	JPW-07	JPF-07	JPFL-1.1/2"	JF-00	JC-1.1/2"	3638	3635
3 X 95	41.0	33.0	JPW-08	JPF-08	JPFL-1.3/4"	JF-38	JC-1.3/4"	4251	4238
3 X 120	44.0	35.0	JPW-09	JPF-09	JPFL-1.3/4"	JF-001	JC-1.3/4"	4251	4242
3 X 150	47.0	38.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5451	5446
3 X 185	50.0	41.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2.1/4"	5451, 5463	5448
3 X 225	55.0	46.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/4"	6063	6053
3 X 240	56.0	45.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/2"	6063	6055
3 X 300	62.0	52.0	JPW-012	JPF-012	JPFL-2.1/2"	JF-0033	JC-2.3/4"	6063	6060
3 X 400	69.0	59.0	JPW-013	JPF-013	JPFL-2.3/4"	JF-004	JC-3"	7882	7868
3 X 500	77.0	66.0	JPW-014	JPF-014	JPFL-3.1/4"	JF-005	JC-3.1/4"	7882	7877

AYFY (ARMURED THREE CORE POWER CABLES) 3800/6600V

3 X 25	35.0	27.0	JPW-07	JPF-07	JPFL-1.3/8"	JF-0	JC-1.1/2"	3638	3635
3 X 35	37.0	29.0	JPW-07	JPF-07	JPFL-1.1/2"	JF-00	JC-1.1/2"	3638	3635
3 X 50	40.0	32.0	JPW-08	JPF-08	JPFL-1.3/4"	JF-38	JC-1.3/4"	4251	4240
3 X 70	44.0	35.0	JPW-09	JPF-09	JPFL-1.3/4"	JF-001	JC-1.3/4"	4251	4242
3 X 95	47.0	38.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5451	5446
3 X 120	50.0	41.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2.1/4"	5451, 5463	5448
3 X 150	54.0	45.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/4"	6063	6053
3 X 185	57.0	48.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/2"	6063	6058
3 X 225	61.0	51.0	JPW-012	JPF-012	JPFL-2.1/2"	JF-0033	JC-2.1/2"	6063	6060
3 X 240	63.0	53.0	JPW-012	JPF-012	JPFL-2.1/2"	JF-0033	JC-2.3/4"	6675	6662
3 X 300	67.0	57.0	JPW-012	JPF-012	JPFL-2.3/4"	JF-0033	JC-2.3/4"	7882	7870
3 X 400	73.0	63.0	JPW-013	JPF-013	JPFL-3"	JF-004	JC-3"	7882	7874
3 X 500	79.0	68.0	JPW-014	JPF-014	JPFL-3.1/4"	JF-005	JC-3.1/4"	7882	7877

AYFY (ARMURED THREE CORE POWER CABLES) 6600V(UE GRADE)

3 X 25	38.0	30.0	JPW-08	JPF-08	JPFL-1.1/2"	JF-00	JC-1.1/2"	3638	3637
3 X 35	40.0	32.0	JPW-08	JPF-08	JPFL-1.1/2"	JF-38	JC-1.3/4"	4251	4240
3 X 50	43.0	34.0	JPW-09	JPF-09	JPFL-1.3/4"	JF-001	JC-1.3/4"	4251	4240
3 X 70	47.0	38.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5451	5446
3 X 95	50.0	41.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2.1/4"	5451, 5463	5448
3 X 120	52.0	43.0	JPW-010	JPF-010	JPFL-2.1/4"	JF-002	JC-2.1/4"	6063	6053
3 X 150	57.0	48.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/2"	6063	6058
3 X 185	60.0	50.0	JPW-011	JPF-011	JPFL-2.1/2"	JF-0033	JC-2.1/2"	6063	6058
3 X 225	64.0	54.0	JPW-012	JPF-012	JPFL-2.1/2"	JF-0033	JC-2.3/4"	6675	6662
3 X 240	66.0	56.0	JPW-012	JPF-012	JPFL-2.3/4"	JF-0033	JC-2.3/4"	6675	6664
3 X 300	71.0	61.0	JPW-013	JPF-013	JPFL-2.3/4"	JF-004	JC-2.3/4"	7882	7870
3 X 400	76.0	65.0	JPW-013	JPF-013	JPFL-3"	JF-004	JC-3"	7882	7874
3 X 500	83.0	71.0	JPW-014	JPF-014	JPFL-3.1/2"	JF-005	JC-3.1/2"	8490	8482

PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.

NOTE : For selection of Cable Glands please ask for our glands Dimensional catalogue. Entire range of PVC shrouds, earth tag & reducer available. WE MAKE SPECIAL TYPE OF GLANDS AS PER SAMPLE OR DRAWING.